

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	((("6049612") or ("5963646") or ("6076099") or ("4754482") or ("5604807") or ("5319712") or ("5671283") or ("5696823")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 14:52
S2	117	"6049612" "5963646" "6076099" "4754482" "5604807" "5319712" "5671283" "5696823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:19
S3	2407	(generat\$5 or make or making or forming or transmit\$5 or tranfer\$5 or receiv\$5) with encrypt\$5 with packet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:05
S4	23	(select\$5 or determin\$5 or locat\$5) with (fix\$5 or constant\$5 or predetermin\$5 or set\$4 or assign\$5) with encrypt\$5 with key\$5 with stream\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:30
S5	1277	encrypt\$5 with key\$5 with stream\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:24
S6	474640	bit and (threshold or value or measure or level or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:28
S7	14549	encrypt\$5 with (payload\$5 or messag\$5 or stream\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:26
S8	2058	session and (encrypt\$5 with packet\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:38
S9	16	(S1 or S2) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:32
S10	215	"bit per bit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:36

S11	3681	encrypt\$5 with stream\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:27
S12	4	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:37
S13	690177	bit with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:36
S14	2503	S13 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:37
S15	907	S14 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:37
S16	169	S8 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:38
S17	75	S16 and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:53
S18	2021	"message digest"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:40
S19	187	RC4 and (exclusive or "xor")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:41
S20	0	S17 and S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:42

S21	28	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 14:42
S22	13	("6009177").URPN.	USPAT	OR	ON	2005/01/05 15:19
S23	2795	encrypt\$5 with data with packet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:21
S24	6363	(figur\$5 or select\$5 or choos\$5 or determin\$5 or calculat\$5) with key\$5 with encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:23
S25	570	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:23
S26	891	digest and session and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:36
S27	23	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:24
S28	8536	encrypt\$5 and packet\$5 and bit and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:29
S29	199	S26 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:36
S30	548	digest and session and threshold and key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:36
S31	199	S29 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:37

S32	0	(S1 or S2) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:37
S33	0	(S1 or S2) and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:38
S34	25	(S1 or S2) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:38
S35	8868306	generat\$5 or make or making or fabricat\$5 or transmit\$5 or transfer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:27
S36	63519	encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:25
S37	1126605	packet\$5 or stream\$5 or messag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:26
S38	6167752	select\$5 or choos\$5 or assign\$5 or determin\$5 or calculat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:17
S39	952890	key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:26
S40	4428538	session or connection or exchange or transfer or reception	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:27
S41	9165663	count\$5 or number\$5 or amount or length or value or interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:28

S42	4726370	combin\$5 or add\$% or associat\$5 or link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:51
S43	31	(communicat\$5 with system) and (messag\$5 with digest) and checksum and (error with check\$5) and algorith\$5 and synchron\$6 and bandwidth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:42
S44	7154	S35 with S36 with S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:42
S45	180959	S38 with S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:51
S46	693388	S40 with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:43
S47	21638	S42 with S41 with S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:51
S48	649	S44 and S45 and S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:52
S49	773	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:12
S50	59	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:59
S51	7135975	combin\$5 or add\$5 or associat\$5 or link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:51

S52	36218	S51 with S41 with S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:52
S53	893	S44 and S45 and S46 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:03
S54	517	S53 and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:30
S55	43	S54 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:12
S56	5	("6445797").URPN.	USPAT	OR	ON	2005/01/06 10:11
S57	12345	"380"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:12
S58	280	S54 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:13
S59	974	(message with digest) and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:14
S60	42	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:13
S61	365	(message with digest) and session and bandwidth\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:14
S62	56	S53 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:17

S63	4873	encrypt\$5 with packet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:18
S64	720	S57 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:18
S65	454	S64 and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:21
S66	974	session and (message with digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:21
S67	231	S63 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:21
S68	123	S67 and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:21
S69	24886	encrypt\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:21
S70	68	S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:21
S71	2033	S35 with S36 with packet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:30
S72	935	S71 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:30

S73	299	S72 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:30
S74	184	S73 and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:30
S75	6	("6240514").URPN.	USPAT	OR	ON	2005/01/06 10:38
S76	0	("6226385").URPN.	USPAT	OR	ON	2005/01/06 10:40
S77	5	("6170057").URPN.	USPAT	OR	ON	2005/01/06 10:41
S83	7	((("6226385") or ("6445797") or ("6819766")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 06:48
S84	12	"6226385" "6445797" "6819766"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:09
S85	6	S84 and (exclus\$5 or "OR " or "XOR")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 06:49
S86	10	S84 and (arithmet\$5 or calculat\$5 or add\$6 or subtract\$5 or divid\$5 or multipl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:13
S87	7	((("6226385") or ("6445797") or ("6819766")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 06:48
S88	12	"6226385" "6445797" "6819766"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 06:48
S89	2	S87 and (exclus\$5 or "OR " or "XOR")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 06:49

S90	6	((("6819766") or ("6363365") or ("6016491")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 11:29
S91	0	S90 and (stream\$5 with cipher\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:27
S92	1	S90 and RC4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:27
S93	1	"6161099".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:28
S94	1	"6055518".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:28
S95	1	"6014644".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:28
S96	1	"5937066".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:29
S97	14	("5937066").URPN.	USPAT	OR	ON	2005/01/07 11:31
S98	8	"6445797"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:32
S99	1	"20020095415".PN.	US-PGPUB	OR	ON	2005/01/07 11:33
S10 0	1	"20020023232".PN.	US-PGPUB	OR	ON	2005/01/07 11:33
S10 1	1	"6477559".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:33
S10 2	1	"6434607".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:34
S10 3	1	"6366915".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:34
S10 4	1	"5937066".PN.	USPAT; USOCR	OR	ON	2005/01/07 11:35
S10 5	14	("5937066").URPN.	USPAT	OR	ON	2005/01/07 11:35
S10 6	9367	RC4 or RSA or (stream\$5 with cipher\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:38

S10 7	215	RC4 and RSA and (stream\$5 with cipher\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:38
S10 8	55	digest and S107 and byte and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:50
S10 9	1	("6484257").URPN.	USPAT	OR	ON	2005/01/07 11:41
S11 0	85	("5835726").URPN.	USPAT	OR	ON	2005/01/07 11:42
S11 1	10969	(packet\$5 or byte or bit) with encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:49
S11 2	2460	S111 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:50
S11 3	173	S111 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:50
S11 4	30	S113 and digest and byte and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 13:34
S11 5	2	RC4 and (cipher\$5 with stream\$5) and (count\$5 with session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 13:35
S11 6	34169	encrypt\$5 and communicat\$5 and transmit\$5 and receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 13:35
S11 7	5	"6484257"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:40

S11 8	8942	key\$5 with (cipher\$5 or encrypt\$5) with (stream\$5 or (contin\$5 with data) or message or packet\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:42
S11 9	145981	(session or connect\$5) with (count\$5 or number\$%)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:43
S12 0	58	S118 same S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:50
S12 1	293	380/37.ccls. and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:29
S12 2	3697	encrypt\$5 with stream\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:33
S12 3	64	S122 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:29
S12 4	62	S123 and (threshold\$5 or value or measur\$5 or level or amount or count\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:34
S12 5	183	380/262.ccls. and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:29
S12 6	35	S122 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:29
S12 7	32	S126 and (threshold\$5 or value or measur\$5 or level or amount or count\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:30

S12 8	3	S124 and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:31
S12 9	12821	(decrypt\$5 or encrypt\$5) with (stream\$5 or bit or packet\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:34
S13 0	10936	S129 and (threshold\$5 or value or measur\$5 or level or amount or count\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S13 1	241	(S121 or S125) and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:35
S13 2	203	S131 and (phone or cellphone or mobile or communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:46
S13 3	4	S132 and digest and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:45
S13 4	77	S132 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:40
S13 5	203	S131 and (phone or cellphone or mobile or communicat\$5 or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:46
S13 6	38	S131 and (phone or cellphone or mobile or communicat\$5) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S13 7	10965	S129 and (seed or threshold\$5 or value or measur\$5 or level or amount or count\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06

S13 8	2689	S137 and (phone or cellphone or mobile or communicat\$5) and wireless and key\$5 and packet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:08
S13 9	172	S138 and "380"/\$.ccls. and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:08
S14 0	3	("6526508").URPN.	USPAT	OR	ON	2005/01/10 13:20
S14 1	8	("6373946").URPN.	USPAT	OR	ON	2005/01/10 13:24
S14 2	34	("5060266").URPN.	USPAT	OR	ON	2005/01/10 13:27
S14 3	83	("5241598").URPN.	USPAT	OR	ON	2005/01/10 15:06
S14 4	2	("5159634").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:07
S14 5	39	"5159634"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:09
S14 6	13	"5727064"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:14
S14 7	13039	(S121 or S122 or S123 or S124 or S125 or S126 or S127 or S128 or S129 or S130 or S131 or S132 or S133 or S134 or S135 or S136 or S137 or S138 or S139)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:17
S14 8	27	((("6829712") or ("6778670") or ("6760438") or ("6560338") or ("6535979") or ("6526508") or ("6484257") or ("6445797") or ("6373946") or ("6266412") or ("6026165") or ("5987137") or ("5060266"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:28
S14 9	1	block.ab. and encryption.ab. and devices.ab. and faster.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:29

S15 0	3	scalably.ab. and decoding.ab. and corresponding.ab. encrypts.ab. and packetizes.ab. and securely.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:40
S15 1	1	frame.ab. and key.ab. and keystream.ab. and generator.ab. and master.ab. and initial.ab. and sequence.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:38
S15 2	3	securing.ab. and associated.ab. and conditional.ab. and checkpoints.ab. and authentication.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:39
S15 3	26	S147 and (S148 or S149 or S150 or S151 or S152)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 07:03
S15 4	2	("6510228").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:07
S15 5	27	((("6829712") or ("6778670") or ("6760438") or ("6560338") or ("6535979") or ("6526508") or ("6484257") or ("6445797") or ("6373946") or ("6266412") or ("6026165") or ("5987137") or ("5060266")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 07:03
S15 6	1	block.ab. and encryption.ab. and devices.ab. and faster.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 07:03
S15 7	3	scalably.ab. and decoding.ab. and corresponding.ab. encrypts.ab. and packetizes.ab. and securely.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 07:03
S15 8	1	frame.ab. and key.ab. and keystream.ab. and generator.ab. and master.ab. and initial.ab. and sequence.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 07:03
S15 9	3	securing.ab. and associated.ab. and conditional.ab. and checkpoints.ab. and authentication.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 07:03

S160	35	(S155 or S156 or S157 or S158 or S159)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:02
S161	20	S160 and ((index\$5 or count\$5 or number\$5 or amount\$5 or value\$5) with key\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:03
S162	0	S160 and (packet\$5 with digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:03
S163	3	S160 and digest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:04
S164	5	S160 and (digest\$3 or MD5 or "MD-5")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:57
S165	4	((("6778670") or ("6484257")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:21
S166	7	"6778670" "6484257"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:58
S167	3	S166 and (differenc\$5) and (key\$5 or segment\$5) and (session or connection) and (threshold\$5 or amount\$5 or value or index or count\$5 or number\$5 or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:02
S168	0	(S160 or S166) and ((differenc\$5) with (key\$5 or segment\$5) with (session or connection) with (threshold\$5 or amount\$5 or value or index or count\$5 or number\$5 or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:04
S169	6	(S160 or S166) and ((key\$5 or segment\$5) with (session or connection or frame) with (threshold\$5 or amount\$5 or value or index or count\$5 or number\$5 or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:14

S17 0	6	S169 and ((fram\$5 or packet\$5) with (hash\$5 or digest\$5 or key\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:15
S17 1	5	((remov\$5 or take or calculat\$5 or extract\$5) with (encrypt\$5) with (key\$5 or segment)) and S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:30
S17 2	7	((determin\$5 or figur\$5 or locat\$5) with (encrypt\$5) with (key\$5 or segment)) and S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:49
S17 3	5	("6445797").URPN.	USPAT	OR	ON	2005/01/11 09:36
S17 4	27	((("6829712") or ("6778670") or ("6760438") or ("6560338") or ("6535979") or ("6526508") or ("6484257") or ("6445797") or ("6373946") or ("6266412") or ("6026165") or ("5987137") or ("5060266"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:04
S17 5	1	block.ab. and encryption.ab. and devices.ab. and faster.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:04
S17 6	3	scalably.ab. and decoding.ab. and corresponding.ab. encrypts.ab. and packetizes.ab. and securely.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:04
S17 7	1	frame.ab. and key.ab. and keystream.ab. and generator.ab. and master.ab. and initial.ab. and sequence.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:04
S17 8	3	securing.ab. and associated.ab. and conditional.ab. and checkpoints.ab. and authentication.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:04
S17 9	35	(S174 or S175 or S176 or S177 or S178)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:04

S180	5	S179 and ((synchroniz\$5 or "re-synchronize" or "re-synchronizing" or resynchroniz\$5) and ((delet\$5 or discard\$5 or remov\$5) with (data or packet or stream or frame)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:36
S181	114	Staring.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:55
S182	1	S181 and stream\$5 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:17
S183	1	S182 and ((discard\$5 or delet\$5 or remov\$5 or clear\$5 or disregard\$5) with (packet\$5 or fram\$5 or stream\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:18
S184	5	(S182 or S179) and (digest or MD5 or "MD-5" or "MD 5")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:39
S185	8	(S182 or S179) and (digest or MD5 or "MD-5" or "MD 5" or signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:39
S186	9	((("5706348") or ("6223285") or ("5956402") or ("6542610") or ("5805705"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 14:53
S187	28	"5706348" "6223285" "5956402" "6542610" "5805705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:53
S188	2	(S186 or S187) and ((stream\$5 with (cipher\$5 or key\$5 or segment\$5 or data or byte)) and key\$5 and (session or fram\$5 or packet\$5) and wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:00
S189	0	(S186 or S187) and ((stream\$5 with (cipher\$5 or key\$5 or segment\$5 or data or byte)) and key\$5 and (session or fram\$5 or packet\$5) and digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:00

S19 0	1	(S186 or S187) and digest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:01
S19 1	1	(S186 or S187) and (RC4 or (stream with cipher\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:01
S19 2	10	(stream with cipher\$5) same (sink\$5 or synchroniz\$5) same (session with (count\$5 or index\$5 or number\$5 or amount\$5 or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:07
S19 3	0	(stream\$5 with (cipher\$5 or encrypt\$5)) and (stream\$5 with (sink\$5 or synchroniz\$5 or resynchroniz\$5)) and (session with (count\$5 or index\$5 or number\$5 or amount\$5 or value) and (messsage with digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:15
S19 4	0	(stream\$5 with (cipher\$5 or encrypt\$5)) and (stream\$5 with (sink\$5 or synchroniz\$5 or resynchroniz\$5)) and ((frame or session or connect\$5 or packet\$5) with (count\$5 or index\$5 or number\$5 or amount\$5 or value)) and (messsage with digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:13
S19 5	0	(stream\$5 with (cipher\$5 or encrypt\$5)) and (key\$5 with (sink\$5 or synchroniz\$5 or resynchroniz\$5)) and ((frame or session or connect\$5 or packet\$5) with (count\$5 or index\$5 or number\$5 or amount\$5 or value)) and (messsage with digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:13
S19 6	4228	stream\$5 with (cipher\$5 or encrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:13
S19 7	0	((key\$5 cipher\$5 or stream\$5) with (sink\$5 or synchroniz\$5 or resynchroniz\$5)) and ((frame or session or connect\$5 or packet\$5) with (count\$5 or index\$5 or number\$5 or amount\$5 or value)) and (messsage with digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:15

S19 8	21714	(key\$5 cipher\$5 or stream\$5) with (sink\$5 or synchroniz\$5 or resynchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:14
S19 9	741	S196 and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:14
S20 0	1053435	(frame or session or connect\$5 or packet\$5) with (count\$5 or index\$5 or number\$5 or amount\$5 or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:15
S20 1	518	S199 and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:16
S20 2	25	S201 and (messag\$5 with digest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:16